

## NEW MULTISPIRAL - NO SKIVE



## NEW MULTISPIRAL FITTINGS - NO SKIVE

The new fittings range is a no-skive solution for high pressure spiral hose available in two pieces solution.

### MAIN FEATURES

- // No-skive
- // Range: from 3/8" to 2"
- // Working pressures: up to 6000 psi (420 bar)
- // Main applications: construction equipment, agricultural machines, mining
- // Suitable for: aftermarket and maintenance activities, on-site repairs especially

### ADVANTAGES


- // H18, two pieces No Skive, only one Ferrule suitable for both 4 spiral and 6 spiral hose – warehouse optimization
- // No need of skiving equipment, no odor and dust (consequence of the hose cover removal)

## // HOW TO SELECT THE RIGHT CODE

### TWO PIECES NO SKIVE

It's easy to recognize the new product codes from the old ones: the **third alphabetical number** just **switch from 3 (old one) to 8 (new one)**.

Type	Item Code	Product Code
MULTISPIRAL	1226224	H1343310-161600
<b>NEW MULTISPIRAL</b>	1255817	<b>H1843310-161600</b>



## // FERRULE SELECTION CHART

## // NO SKIVE FERRULE FOR MULTISPIRAL FITTINGS

Hose	Table n°	-06 DN 10 3/8"	-08 DN 12 1/2"	-10 DN 16 5/8"	-12 DN 19 3/4"	-16 DN 25 1"	-20 DN 32 1 1/4"	-24 DN 38 1 1/2"	-32 DN 51 2"
POWERFLEXBIO 4000	275							H1300NS4	H1300NS4
POWERFLEXBIO 5000 - 4S	276				H1300NS4	H1300NS4	H1300NS4		
POWERFLEXBIO 5000 - 6S	280							H1300NS6	H1300NS6
POWERFLEXBIO 5000 PLUS	277				H1300NS4	H1300NS4			
POWERFLEXBIO 6000 - 4S	278				H1300NS4	H1300NS4			
POWERFLEXBIO 6000 - 6S	282						H1300NS6		
POWERFLEXBIO EXTRA 4000	325							H1300NS4	H1300NS4
	726							H1800NSS	H1800NSS
POWERFLEXBIO EXTRA 5000	326				H1300NS4	H1300NS4	H1300NS4	H1300NS6	H1300NS6
	727			H1800NSS <b>NEW</b>	H1800NSS	H1800NSS	H1800NSS	H1800NSS	H1800NSS
POWERFLEXBIO EXTRA 5000 PLUS	327				H1300NS4	H1300NS4			
	728				H1800NSS	H1800NSS			
POWERFLEXBIO EXTRA 6000	328				H1300NS4	H1300NS4	H1300NS6		
	729	H1800NSS <b>NEW</b>	H1800NSS <b>NEW</b>	H1800NSS <b>NEW</b>	H1800NSS	H1800NSS	H1800NSS	H1800NSS <b>NEW</b>	



## // MULTISPIRAL FITTINGS - TWO PIECES - NO SKIVE


// FERRULES.....	5	// NPTF INSERTS.....	13
// BSP INSERTS.....	6	// ORFS INSERTS.....	14
// DIN METRIC INSERTS.....	8	// SAE FLANGES.....	16
// JIC 37° INSERTS.....	10	// SUPERCAT FLANGES.....	19

REV.0.0

## // FERRULES

// H1800NSS **NEW**

## Multispiral No-Skive Ferrule




Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	Ferrule OD (mm)	L (mm)
1255743	H1800NSS-060000	6	10,0	3/8"	29,0	37,0
1255796	H1800NSS-080000	8	13,0	1/2"	31,0	40,0
1255833	H1800NSS-100000	10	16,0	5/8"	38,0	44,3
1255868	H1800NSS-120000	12	19,0	3/4"	43,0	52,5
1253826	H1800NSS-160000	16	25,0	1"	50,0	63,0
1255880	H1800NSS-200000	20	31,0	1 1/4"	62,0	73,0
1258472	H1800NSS-240000	24	38,0	1 1/2"	70,0	78,5
1257089	H1800NSS-320000	32	51,0	2"	85,0	94,0

# // BSP INSERTS

## // H1810510 **NEW**


**BSP Male 60° Flare  
AGR**



Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	C (mm)	CH (mm)
1258250	H1810510-121200	12	19,0	3/4"	12	3/4-14	38,1	32,0
1258251	H1810510-161600	16	25,0	1"	16	1-11	46,1	41,0
1258548	H1810510-202000	20	32,0	1 1/4"	20	1 1/4-11	50,0	50,0
1258336	H1810510-242400	24	38,0	1 1/2"	24	1 1/2-11	55,0	55,0
1258410	H1810510-323200	32	51,0	2"	32	2-11	66,7	70,0

## // H1820812 **NEW**

**BSP Female 60° Cone with O-Ring  
DKOR**




Item Code	Product Code	Nut Type	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	C (mm)	CH1 (mm)
1259162	H1820811-080800	Crimped	8	13,0	1/2"	8	1/2-14	19,6	27,0
1259163	H1820811-101000	Crimped	10	16,0	5/8"	10	5/8-14	18,8	27,0
1257104	H1820812-121200	Thrust wire nut	12	19,0	3/4"	12	3/4-14	25,8	32,0
1258306	H1820812-121600	Thrust wire nut	12	19,0	3/4"	16	1-11	28,3	38,0
1257054	H1820812-161600	Thrust wire nut	16	25,0	1"	16	1-11	31,6	38,0
1258338	H1820812-162000	Thrust wire nut	16	25,0	1"	20	1 1/4-11	34,1	50,0
1258497	H1820812-202000	Thrust wire nut	20	32,0	1 1/4"	20	1 1/4-11	33,9	50,0
1258300	H1820812-242400	Thrust wire nut	24	38,0	1 1/2"	24	1 1/2-11	37,8	55,0
1258287	H1820812-323200	Thrust wire nut	32	51,0	2"	32	2-11	43,2	70,0

REV.0.0

// H1820842 **NEW**


**45° BSPP Female 60° Cone with O-Ring  
DKOR 45  
Solid one piece**



Item Code	Product Code	Nut Type	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	C (mm)	D Drop (mm)	CH1 (mm)
1259198	H1820841-080800	Crimped	8	13,0	1/2"	8	1/2-14	53,0	21,0	27,0
1259170	H1820841-101000	Crimped	10	16,0	5/8"	10	5/8-14	61,0	21,5	27,0
1258249	H1820842-121200	Thrust wire nut	12	19,0	3/4"	12	3/4-14	76,0	30,0	32,0
1258275	H1820842-161600	Thrust wire nut	16	25,0	1"	16	1-11	92,0	40,0	38,0
1258506	H1820842-202000	Thrust wire nut	20	32,0	1 1/4"	20	1 1/4-11	90,0	40,0	50,0
1258407	H1820842-242400	Thrust wire nut	24	38,0	1 1/2"	24	1 1/2-11	116,0	46,0	55,0
1258595	H1820842-323200	Thrust wire nut	32	51,0	2"	32	2-11	153,0	60,0	70,0

// H1820892 **NEW**

**90° BSPP Female 60° Cone with O-Ring  
DKOR 90  
Solid one piece**




Item Code	Product Code	Nut Type	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	C (mm)	D Drop (mm)	CH1 (mm)
1259199	H1820891-080800	Crimped	8	13,0	1/2"	8	1/2-14	37,0	41,0	27,0
1259172	H1820891-101000	Crimped	10	16,0	5/8"	10	5/8-14	48,0	47,0	27,0
1258248	H1820892-121200	Thrust wire nut	12	19,0	3/4"	12	3/4-14	60,0	61,0	32,0
1258408	H1820892-121600	Thrust wire nut	12	19,0	3/4"	16	1-11	69,0	68,0	38,0
1258267	H1820892-161600	Thrust wire nut	16	25,0	1"	16	1-11	74,0	71,0	38,0
1258505	H1820892-202000	Thrust wire nut	20	32,0	1 1/4"	20	1 1/4-11	83,0	83,0	50,0
1258376	H1820892-242400	Thrust wire nut	24	38,0	1 1/2"	24	1 1/2-11	100,0	96,0	55,0
1258426	H1820892-323200	Thrust wire nut	32	51,0	2"	32	2-11	140,0	130,0	70,0

Image: insert with Slip on Nut.

# // DIN METRIC INSERTS

## // H1811210 **NEW**


**Metric Male 24° Seat**  
**DIN 3853 - Heavy Series**  
**CES**



Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	F1	OD1	C (mm)	CH (mm)
1257032	H1811210-123600	12	19,0	3/4"	M36X2	25	30,0	36,0
1257041	H1811210-164200	16	25,0	1"	M42X2	30	41,1	46,0
1257093	H1811210-205200	20	32,0	1 1/4"	M52X2	38	49,9	55,0

## // H1821613 **NEW**

**Metric Female 24° Cone with O-Ring**  
**ISO 8434-1 - Heavy Series**  
**DKOS**



Item Code	Product Code	Nut Type	ID (Dash)	ID (mm)	ID (in)	F1	OD1	C (mm)	CH1 (mm)
1259271	H1821612-082400	Thrust wire nut	8	13,0	1/2"	M24X1.5	16	27,3	30,0
1259301	H1821613-103000	Slip on nut	10	16,0	5/8"	M30X2	20	37,2	36,0
1257103	H1821612-123000	Thrust wire nut	12	19,0	3/4"	M30X2	20	37,4	36,0
1257094	H1821613-123600	Slip on nut	12	19,0	3/4"	M36X2	25	41,7	46,0
1257051	H1821612-163600	Thrust wire nut	16	25,0	1"	M36X2	25	46,6	46,0
1257055	H1821613-164200	Slip on nut	16	25,0	1"	M42X2	30	45,8	50,0
1258543	H1821612-204200	Thrust wire nut	20	32,0	1 1/4"	M42X2	30	50,0	50,0
1255917	H1821613-205200	Slip on nut	20	32,0	1 1/4"	M52X2	38	50,0	60,0
1258302	H1821612-245200	Thrust wire nut	24	38,0	1 1/2"	M52X2	38	57,0	60,0

Image: insert with Slip on Nut.



REV.0.0


// H1821643 **NEW**

45° Metric Female 24° Cone with O-Ring

ISO 8434-1 - Heavy Series

DKOS 45

Solid one piece



Item Code	Product Code	Nut Type	ID (Dash)	ID (mm)	ID (in)	F1	OD1	C (mm)	D Drop (mm)	CH1 (mm)
1259275	H1821642-082400	Thrust wire nut	8	13,0	1/2"	M24X1.5	16	66,7	33,0	30,0
1259304	H1821643-103000	Slip on nut	10	16,0	5/8"	M30X2	20	66,0	30,0	36,0
1258305	H1821642-123000	Thrust wire nut	12	19,0	3/4"	M30X2	20	74,0	33,0	36,0
1257064	H1821643-123600	Slip on nut	12	19,0	3/4"	M36X2	25	71,0	33,0	46,0
1258315	H1821642-163600	Thrust wire nut	16	25,0	1"	M36X2	25	94,0	37,5	46,0
1257048	H1821643-164200	Slip on nut	16	25,0	1"	M42X2	30	110,0	35,5	50,0
1255919	H1821643-205200	Slip on nut	20	32,0	1 1/4"	M52X2	38	111,0	45,0	60,0


// H1821693 **NEW**

90° Metric Female 24° Cone with O-Ring

ISO 8434-1 - Heavy Series

DKOS 90

Solid one piece




Item Code	Product Code	Nut Type	ID (Dash)	ID (mm)	ID (in)	F1	OD1	C (mm)	D Drop (mm)	CH1 (mm)
1259273	H1821692-082400	Thrust wire nut	8	13,0	1/2"	M24X1.5	16	48,5	59,0	30,0
1259305	H1821693-103000	Slip on nut	10	16,0	5/8"	M30X2	20	48,0	55,0	36,0
1258253	H1821692-123000	Thrust wire nut	12	19,0	3/4"	M30X2	20	66,1	67,5	36,0
1257067	H1821693-123600	Slip on nut	12	19,0	3/4"	M36X2	25	51,0	59,5	46,0
1258331	H182169Z-123600	Slip on nut	12	19,0	3/4"	M36X2	25	51,0	59,5	41,0
1257060	H1821692-163600	Thrust wire nut	16	25,0	1"	M36X2	25	76,0	82,0	46,0
1257045	H1821693-164200	Slip on nut	16	25,0	1"	M42X2	30	85,0	70,0	50,0
1258503	H1821693-205200	Slip on nut	20	32,0	1 1/4"	M52X2	38	95,0	92,0	60,0
1258334	H1821692-245200	Thrust wire nut	24	38,0	1 1/2"	M52X2	38	105,0	95,0	60,0

Image: insert with Slip on Nut.

# // JIC 37° INSERTS

## // H1812510 **NEW**


JIC Male 37° Cone  
AGJ



Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	C (mm)	CH (mm)
1255939	H1812510-060600	6	10,0	3/8"	6	9/16-18	27,0	17,0
1255965	H1812510-080800	8	13,0	1/2"	8	3/4-16	30,6	19,0
1255988	H1812510-101000	10	16,0	5/8"	10	7/8-14	35,3	24,0
1256038	H1812510-121200	12	19,0	3/4"	12	1 1/16-12	39,1	27,0
1255826	H1812510-161600	16	25,0	1"	16	1 5/16-12	46,1	36,0
1257092	H1812510-202000	20	32,0	1 1/4"	20	1 5/8-12	50,4	46,0
1258599	H1812510-242400	24	38,0	1 1/2"	24	1 7/8-12	56,5	50,0

## // H1822512 **NEW**

JIC Female 37° Seat  
DKJ




Item Code	Product Code	Nut Type	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	C (mm)	CH1 (mm)
1258632	H1822511-060600	Crimped	6	10,0	3/8"	6	9/16-18	16,0	19,0
1258633	H1822511-080800	Crimped	8	13,0	1/2"	8	3/4-16	18,6	25,0
1258634	H1822511-101000	Crimped	10	16,0	5/8"	10	7/8-14	20,3	27,0
1258252	H1822512-121200	Thrust wire nut	12	19,0	3/4"	12	1 1/16-12	22,8	32,0
1258307	H1822512-121600	Thrust wire nut	12	19,0	3/4"	16	1 5/16-12	24,6	38,0
1258265	H1822512-161600	Thrust wire nut	16	25,0	1"	16	1 5/16-12	18,5	38,0
1258328	H1822512-162000	Thrust wire nut	16	25,0	1"	20	1 5/8-12	29,2	50,0
1258498	H1822512-202000	Thrust wire nut	20	32,0	1 1/4"	20	1 5/8-12	30,0	50,0
1258507	H1822512-202400	Thrust wire nut	20	32,0	1 1/4"	24	1 7/8-12	34,0	55,0
1258332	H1822512-242400	Thrust wire nut	24	38,0	1 1/2"	24	1 7/8-12	23,5	55,0

Image: insert with Thrust Wire Nut.

REV.0.0

**// H1826511 NEW**

**JIC Female 37° Seat with Stem Hexagon  
DKJ**




Item Code	Product Code	Nut Type	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	C (mm)	CH (mm)	CH1 (mm)
1255950	H1826511-060600	Crimped	6	10,0	3/8"	6	9/16-18	22,0	17,0	19,0
1255967	H1826511-080800	Crimped	8	13,0	1/2"	8	3/4-16	25,6	19,0	25,0
1255990	H1826511-101000	Crimped	10	16,0	5/8"	10	7/8-14	28,3	24,0	27,0
1256041	H1826511-121200	Crimped	12	19,0	3/4"	12	1 1/16-12	30,1	27,0	32,0
1255808	H1826512-161600	Thrust wire nut	16	25,0	1"	16	1 5/16-12	38,6	36,0	38,0
1255810	H1826512-162000	Thrust wire nut	16	25,0	1"	20	1 5/8-12	41,2	41,0	50,0
1255909	H1826512-202000	Thrust wire nut	20	32,0	1 1/4"	20	1 5/8-12	43,0	46,0	50,0
1257202	H1826512-242400	Thrust wire nut	24	38,0	1 1/2"	24	1 7/8-12	48,4	50,0	55,0
1257200	H1826512-323200	Thrust wire nut	32	51,0	2"	32	2 1/2-12	59,2	65,0	70,0

Image: insert with Crimped Nut.

**// H1822541 NEW**

**45° JIC Female 37° Seat  
Medium Drop  
DKJ 45M  
Solid one piece**



Item Code	Product Code	Nut Type	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	C (mm)	D Drop (mm)	CH1 (mm)
1255928	H1822541-040400	Crimped	4	6,0	1/4"	4	7/16-20	38,0	15,5	16,0
1255956	H1822541-060600	Crimped	6	10,0	3/8"	6	9/16-18	50,0	17,5	19,0
1255969	H1822541-080800	Crimped	8	13,0	1/2"	8	3/4-16	52,0	20,0	25,0
1256026	H1822541-101000	Crimped	10	16,0	5/8"	10	7/8-14	57,0	29,0	27,0
1256047	H1822542-121200	Thrust wire nut	12	19,0	3/4"	12	1 1/16-12	70,0	27,5	32,0
1258345	H1822542-121600	Thrust wire nut	12	19,0	3/4"	16	1 5/16-12	69,0	33,5	38,0
1255873	H1822542-161600	Thrust wire nut	16	25,0	1"	16	1 5/16-12	85,0	31,0	38,0
1257075	H1822542-202000	Thrust wire nut	20	32,0	1 1/4"	20	1 5/8-12	98,0	37,0	50,0
1258438	H1822542-242400	Thrust wire nut	24	38,0	1 1/2"	24	1 7/8-12	118,0	43,5	55,0

Image: insert with Thrust Wire Nut.


**// H1822591 NEW**

**90° JIC Female 37° Seat**

**Medium Drop**

**DKJ 90M**

**Solid one piece**



Item Code	Product Code	Nut Type	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	C (mm)	D Drop (mm)	CH1 (mm)
1255958	H1822591-060600	Crimped	6	10,0	3/8"	6	9/16-18	32,0	35,0	19,0
1255971	H1822591-080800	Crimped	8	13,0	1/2"	8	3/4-16	36,0	40,0	25,0
1256024	H1822591-101000	Crimped	10	16,0	5/8"	10	7/8-14	46,0	52,0	27,0
1258264	H1822592-121200	Thrust wire nut	12	19,0	3/4"	12	1 1/16-12	60,0	57,0	32,0
1258342	H1822592-121600	Thrust wire nut	12	19,0	3/4"	16	1 5/16-12	58,0	63,5	38,0
1255867	H1822592-161600	Thrust wire nut	16	25,0	1"	16	1 5/16-12	76,0	67,0	38,0
1257204	H1822592-20200M	Thrust wire nut	20	32,0	1 1/4"	20	1 5/8-12	84,0	78,0	50,0
1257207	H1822592-242400	Thrust wire nut	24	38,0	1 1/2"	24	1 7/8-12	104,0	92,0	55,0


Image: insert with Thrust Wire Nut.

REV.0.0

## // NPTF INSERTS

// H1812810 **NEW**

NPTF Male 60° Seat  
AGN




Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	C (mm)	CH (mm)
1257080	H1812810-121200	12	19,0	3/4"	12	3/4-14	36,1	27,0
1255828	H1812810-161600	16	25,0	1"	16	1-11 1/2	47,1	36,0
1257086	H1812810-202000	20	32,0	1 1/4"	20	1 1/4-11 1/2	50,9	46,0
1257183	H1812810-242400	24	38,0	1 1/2"	24	1 1/2-11 1/2	54,5	50,0
1257185	H1812810-323200	32	51,0	2"	32	2-11 1/2	63,4	65,0

# // ORFS INSERTS

## // H1812410 **NEW**


ORFS Male



Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	C (mm)	CH (mm)
1255954	H1812410-060600	6	10,0	3/8"	6	11/16-16	25,0	19,0
1255975	H1812410-080800	8	13,0	1/2"	8	13/16-16	27,1	22,0
1256029	H1812410-101000	10	16,0	5/8"	10	1-14	31,3	27,0
1256049	H1812410-121200	12	19,0	3/4"	12	1 3/16-12	36,1	32,0
1257070	H1812410-161600	16	25,0	1"	16	1 7/16-12	40,6	38,0
1257090	H1812410-202000	20	32,0	1 1/4"	20	1 11/16-12	43,4	46,0

## // H1822411 **NEW**

ORFS Female with Stem Hexagon




Item Code	Product Code	Nut Type	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	C (mm)	CH (mm)	CH1 (mm)
1255952	H1822411-060600	Crimped	6	10,0	3/8"	6	11/16-16	31,0	17,0	22,0
1255982	H1822411-080800	Crimped	8	13,0	1/2"	8	13/16-16	36,1	22,0	24,0
1256031	H1822411-101000	Crimped	10	16,0	5/8"	10	1-14	40,3	24,0	30,0
1256053	H1822411-121200	Crimped	12	19,0	3/4"	12	1 3/16-12	44,1	30,0	36,0
1256932	H1822411-121600	Crimped	12	19,0	3/4"	16	1 7/16-12	50,1	36,0	41,0
1255812	H1822411-161600	Crimped	16	25,0	1"	16	1 7/16-12	53,1	36,0	41,0
1255814	H1822411-162000	Crimped	16	25,0	1"	20	1 11/16-12	54,1	41,0	50,0
1255911	H1822411-202000	Crimped	20	32,0	1 1/4"	20	1 11/16-12	56,0	46,0	50,0
1256933	H1822411-242400	Crimped	24	38,0	1 1/2"	24	2-12	61,5	50,0	60,0

REV.0.0

**// H1822441 NEW**

**45° ORFS Female  
Medium Drop  
DK ORFS 45M  
Solid one piece**




Item Code	Product Code	Nut Type	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	C (mm)	D Drop (mm)	CH1 (mm)
1255963	H1822443-060600	Slip on nut	6	10,0	3/8"	6	11/16-16	48,0	17,0	22,0
1255986	H1822441-080800	Crimped	8	13,0	1/2"	8	13/16-16	54,0	22,0	24,0
1256036	H1822441-101000	Crimped	10	16,0	5/8"	10	1-14	58,0	17,0	30,0
1256059	H1822443-121200	Slip on nut	12	19,0	3/4"	12	1 3/16-12	67,0	21,0	36,0
1257078	H1822441-121200	Crimped	12	19,0	3/4"	12	1 3/16-12	82,0	26,0	36,0
1258416	H1822441-121600	Crimped	12	19,0	3/4"	16	1 7/16-12	81,0	28,0	41,0
1255837	H1822441-161600	Crimped	16	25,0	1"	16	1 7/16-12	95,0	28,0	41,0
1258440	H1822441-162000	Crimped	16	25,0	1"	20	1 11/16-12	88,0	28,0	50,0
1255915	H1822441-202000	Crimped	20	32,0	1 1/4"	20	1 11/16-12	108,0	36,5	50,0

Image: insert with Crimped Nut.

**// H1822491 NEW**

**90° ORFS Female  
Medium Drop  
DK ORFS 90M  
Solid one piece**




Item Code	Product Code	Nut Type	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	C (mm)	D Drop (mm)	CH1 (mm)
1255960	H1822493-060600	Slip on nut	6	10,0	3/8"	6	11/16-16	43,0	38,0	22,0
1255984	H1822491-080800	Crimped	8	13,0	1/2"	8	13/16-16	35,0	42,0	24,0
1256034	H1822491-101000	Slip on nut	10	16,0	5/8"	10	1-14	56,0	44,0	30,0
1256055	H1822493-121200	Slip on nut	12	19,0	3/4"	12	1 3/16-12	63,0	58,0	36,0
1257077	H1822491-121200	Crimped	12	19,0	3/4"	12	1 3/16-12	68,0	58,0	36,0
1258325	H1822491-121600	Crimped	12	19,0	3/4"	16	1 7/16-12	70,0	58,0	36,0
1255835	H1822491-161600	Crimped	16	25,0	1"	16	1 7/16-12	80,0	66,0	41,0
1255913	H1822491-202000	Crimped	20	32,0	1 1/4"	20	1 11/16-12	101,0	81,0	50,0

Image: insert with Crimped Nut.

# // SAE FLANGES

## // H1843310 **NEW**


Flange SAE 3000 psi J518 Code 61  
SFL



Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	FD (mm)	C (mm)	WP (psi)
1256975	H1843310-121200	12	19,0	3/4"	12	3/4	38,1	39,5	5000
1255817	H1843310-161600	16	25,0	1"	16	1	44,5	54,1	5000
1255819	H1843310-162000	16	25,0	1"	20	1 1/4	50,8	56,6	5000
1255886	H1843310-202000	20	32,0	1 1/4"	20	1 1/4	50,8	57,5	3000
1258560	H1843310-202400	20	32,0	1 1/4"	24	1 1/2	60,3	60,4	5000
1258432	H1843310-242000	24	38,0	1 1/2"	20	1 1/4	50,8	54,5	5000
1256999	H1843310-242400	24	38,0	1 1/2"	24	1 1/2	60,3	62,5	5000
1258422	H1843310-243200	24	38,0	1 1/2"	32	2	71,4	62,5	5000
1258299	H1843310-323200	32	50,0	2"	32	2	71,4	79,2	3000

## // H1843340 **NEW**

45° Flange SAE 3000 psi J518 Code 61  
SFL 45  
Solid one piece



Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	FD (mm)	C (mm)	D Drop (mm)	WP (psi)
1258340	H1843340-162000	16	25,0	1"	20	1 1/4	50,8	99,0	32,5	3000
1255892	H1843340-202000	20	32,0	1 1/4"	20	1 1/4	50,8	103,0	38,5	5000
1257023	H1843340-202400	20	32,0	1 1/4"	24	1 1/2	60,3	99,0	40,0	3000
1257002	H1843340-242400	24	38,0	1 1/2"	24	1 1/2	60,3	111,0	43,0	3000
1258414	H1843340-323200	32	50,0	2"	32	2	71,4	154,0	54,0	5000




REV.0.0

// H1843390 **NEW**

90° Flange SAE 3000 psi J518 Code 61

SFL 90

Solid one piece




Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	FD (mm)	C (mm)	D Drop (mm)	WP (psi)
1255849	H1843390-161600	16	25,0	1"	16	1	44,5	79,0	64,0	5000
1257007	H1843390-162000	16	25,0	1"	20	1 1/4	50,8	75,0	69,0	3000
1255890	H1843390-202000	20	32,0	1 1/4"	20	1 1/4	50,8	91,0	81,0	5000
1258622	H1843390-202400	20	32,0	1 1/4"	24	1 1/2	60,3	87,0	85,0	5000
1257000	H1843390-242400	24	38,0	1 1/2"	24	1 1/2	60,3	103,0	93,0	3000
1258385	H1843390-323200	32	50,0	2"	32	2	71,4	139,0	130,0	5000

// H1843610 **NEW**

Flange SAE 6000 psi J518 Code 62

SFS




Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	FD (mm)	C (mm)	WP (psi)
1259205	H1843610-080800	8	13,0	1/2"	8	1/2	31,8	43,6	6000
1250893	H1843610-121200	12	19,0	3/4"	12	3/4	41,3	53,1	6000
1256988	H1843610-121600	12	19,0	3/4"	16	1	47,6	56,5	6000
1255824	H1843610-161200	16	25,0	1"	12	3/4	41,3	59,1	6000
1250885	H1843610-161600	16	25,0	1"	16	1	47,6	59,1	6000
1255821	H1843610-162000	16	25,0	1"	20	1 1/4	54,0	66,1	6000
1257998	H1843610-162400	16	25,0	1"	24	1 1/2	63,5	71,1	6000
1255884	H1843610-201600	20	32,0	1 1/4"	16	1	47,6	60,0	6000
1250350	H1843610-202000	20	32,0	1 1/4"	20	1 1/4	54,0	59,0	6000
1257017	H1843610-202400	20	32,0	1 1/4"	24	1 1/2	63,5	74,0	6000
1257009	H1843610-242000	24	38,0	1 1/2"	20	1 1/4	54,0	70,0	6000
1250857	H1843610-242400	24	38,0	1 1/2"	24	1 1/2	63,5	63,0	6000
1257028	H1843610-243200	24	38,0	1 1/2"	32	2	79,4	88,0	6000
1250340	H1843610-323200	32	50,0	2"	32	2	79,4	97,2	6000

**// H1843640 NEW**

**45° Flange SAE 6000 psi J518 Code 62**

**SFS 45**

**Solid one piece**




Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	FD (mm)	C (mm)	D Drop (mm)	WP (psi)
1259211	H1843640-080800	8	13,0	1/2"	8	1/2	31,8	56,0	23,0	6000
1256966	H1843640-121200	12	19,0	3/4"	12	3/4	41,3	75,0	30,0	6000
1256964	H1843640-121600	12	19,0	3/4"	16	1	47,6	81,0	33,0	6000
1257026	H1843640-161200	16	25,0	1"	12	3/4	41,3	77,0	29,5	6000
1255845	H1843640-161600	16	25,0	1"	16	1	47,6	98,0	38,5	6000
1255847	H1843640-162000	16	25,0	1"	20	1 1/4	54,0	96,0	44,0	6000
1257027	H1843640-201600	20	32,0	1 1/4"	16	1	47,6	97,0	34,0	6000
1255896	H1843640-202000	20	32,0	1 1/4"	20	1 1/4	54,0	102,0	41,0	6000
1257021	H1843640-202400	20	32,0	1 1/4"	24	1 1/2	63,5	117,0	48,0	6000
1256962	H1843640-242400	24	38,0	1 1/2"	24	1 1/2	63,5	143,0	48,0	6000
1258583	H1843640-323200	32	50,0	2"	32	2	79,4	177,0	61,0	6000

**// H1843690 NEW**

**90° Flange SAE 6000 psi J518 Code 62**

**SFS 90**

**Solid one piece**




Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	FD (mm)	C (mm)	D Drop (mm)	WP (psi)
1256934	H1843690-121200	12	19,0	3/4"	12	3/4	41,3	65,0	64,0	6000
1256935	H1843690-121600	12	19,0	3/4"	16	1	47,6	65,0	66,0	6000
1258335	H1843690-161200	16	25,0	1"	12	3/4	41,3	75,0	61,0	6000
1255841	H1843690-161600	16	25,0	1"	16	1	47,6	75,0	74,0	6000
1256939	H1843690-162000	16	25,0	1"	20	1 1/4	54,0	79,0	85,0	6000
1255907	H1843690-201600	20	32,0	1 1/4"	16	1	47,6	86,0	72,0	6000
1257011	H1843690-202000	20	32,0	1 1/4"	20	1 1/4	54,0	96,0	91,0	6000
1257016	H1843690-202400	20	32,0	1 1/4"	24	1 1/2	63,5	99,0	103,5	6000
1256936	H1843690-242400	24	38,0	1 1/2"	24	1 1/2	63,5	114,0	109,0	6000
1257029	H1843690-323200	32	50,0	2"	32	2	79,4	168,0	134,0	6000

# SUPERCAT FLANGES

## // H1843910 **NEW**


### Flange SUPERCAT



Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	FD (mm)	T (mm)	C (mm)
1256983	H1843910-121200	12	19,0	3/4"	12	3/4	41,3	14,3	85,5
1256984	H1843910-121600	12	19,0	3/4"	16	1	47,6	14,3	87,0
1255830	H1843910-161600	16	25,0	1"	16	1	47,6	14,3	95,1
1255832	H1843910-162000	16	25,0	1"	20	1 1/4	54,0	14,3	95,1
1255888	H1843910-202000	20	32,0	1 1/4"	20	1 1/4	54,0	14,3	91,0
1257018	H1843910-202400	20	32,0	1 1/4"	24	1 1/2	63,5	14,3	87,0

## // H1843940 **NEW**


### 45° Flange SUPERCAT Solid one piece




Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	FD (mm)	T (mm)	C (mm)	D Drop (mm)
1256996	H1843940-121200	12	19,0	3/4"	12	3/4	41,3	14,3	107,0	33,7
1258113	H1843940-121600	12	19,0	3/4"	16	1	47,6	14,3	112,0	34,0
1255857	H1843940-161600	16	25,0	1"	16	1	47,6	14,3	129,0	42,5
1255859	H1843940-162000	16	25,0	1"	20	1 1/4	54,0	14,3	128,0	40,0
1257024	H1843940-202000	20	32,0	1 1/4"	20	1 1/4	54,0	14,3	149,0	45,0

## // H1843990 **NEW**

### 90° Flange SUPERCAT Solid one piece



Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	FD (mm)	T (mm)	C (mm)	D Drop (mm)
1256994	H1843990-121200	12	19,0	3/4"	12	3/4	41,3	14,3	67,0	67,0
1256995	H1843990-121600	12	19,0	3/4"	16	1	47,6	14,3	69,0	70,0
1255853	H1843990-161600	16	25,0	1"	16	1	47,6	14,3	85,0	79,0
1255855	H1843990-162000	16	25,0	1"	20	1 1/4	54,0	14,3	80,0	82,5
1255902	H1843990-202000	20	32,0	1 1/4"	20	1 1/4	54,0	14,3	96,0	93,0
1257019	H1843990-202400	20	32,0	1 1/4"	24	1 1/2	63,5	14,3	97,0	101,0



**HEADQUARTER**

**Alfagomma SpA**

Via Torri Bianche 1

20871 Vimercate (MB) Italy

[marketing@alfagomma.com](mailto:marketing@alfagomma.com)

[www.alfagomma.com](http://www.alfagomma.com)